




Christy Vault Company, Inc

**P R O D U C T
C A T A L O G**

Christy Vault Company, Inc. has been proudly providing the funeral & cemetery industry with quality service & products since 1948.

"A company built to last must be built to change"



Since it's humble beginnings in the backyard of Albert Christensen's residence in Oakland, California in 1948, Christy's fundamental philosophy has been that customers are business **partners** rather than just people who buy our products.

This philosophy, coupled with a reputation for reliability and integrity has been the cornerstone for continued growth in service to the memorial industry.

Christy is now in its third generation of family ownership and management with manufacturing facilities in both Colma and Tulare, California.

Cremation facilitated our transition from a company primarily serving the

Northern and Central California areas to one that began providing Christy® Niches and Columbarium designs throughout the United States.

We understand that any company built to last must be built to change. We work closely with our partners to design and develop products that will meet the needs of a very dynamic market.




What is a burial vault?

A burial vault is a lined and sealed outer receptacle that houses the casket. It protects the casket from the weight of the earth and heavy maintenance equipment that will pass over the grave. It also helps resist water and preserves the beauty of the cemetery or memorial park by preventing the ground from settling.


Built Strong
Water Resistant



No Outer Burial Container



Unlined Outer Burial Container




Standard Lined Burial Vault

© Copyright 2004 by Wilbert Funeral Services, Inc. All rights reserved.

You want the best protection available for your loved ones. Years after you select a Wilbert® brand reinforced burial vault, you'll know that you made the right decision by choosing the highest level of protection.

PREMIUM

High-strength concrete, semi-precious corrosive-resistant metals and high-impact plastic combine for excellent durability.




STANDARD

High-strength concrete, stainless steel and high-impact plastic combine for durable inner protection in a double-reinforced vault.



BASIC

Single-reinforced vaults feature concrete construction strengthened with plastic for extra support.



Memorialization Plus™

Available on Standard and Premium burial vaults is a Memorialization Plus™ capsule (brass) which stores a personal message to the loved one, and an identification scroll in the carapace.





The Wilbert Bronze®


Burial Vault

FEATURES:

- Precise engineering and more than 40 hours of hand-crafted detail produce Wilbert's supreme and only triple-reinforced burial vault
- Ultimate triple-reinforced protection
- Cover and base reinforced with durable bronze alloy
- Interior reinforced with high-impact plastic
- Exterior base completely encased in high-impact plastic
- 100 year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
W3086-B	30"	86"	26 1/2"	35"	91 5/8"	34 1/2"	1950	1050	3000



Bronze Triune®

Burial Vault

FEATURES:

- High-strength concrete exterior
- Cover and base lined with bronze and high-impact plastic for excellent durability
- Bronze carapace
- Memorialization Plus® capsule (brass) and personalized nameplate
- 75 year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
W3086-BT	30"	86"	26 1/2"	35"	90 1/2"	34 1/2"	1500	1190	2690



Copper Triune®

Burial Vault

FEATURES:

- High-strength concrete exterior
- Cover and base lined with copper and high-impact plastic for excellent durability
- Copper carapace
- Memorialization Plus® capsule (brass) and personalized nameplate
- 75-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
W3086-CT	30"	86"	26 ½"	35"	90 ½"	34 ½"	1500	1190	2690



Stainless Steel Triune[®]

Burial Vault

FEATURES:

- High-strength concrete exterior
- Cover and base lined with stainless steel and high-imp sact plastic for excellent durability
- Stainless steel carapace
- Memorialization Plus[®] capsule (brass) and personalized nameplate
- 75-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
W3086-SST	30"	86"	26 1/2"	34 1/4"	90 1/2"	34 1/2"	1500	1190	2690



Cameo Rose®

Burial Vault

FEATURES:

- High-strength concrete exterior
- Cover and base lined with stainless steel and high-impact plastic for excellent durability
- Brushed stainless steel carapace
- Memorialization Plus® capsule (brass) and personalized nameplate
- 75-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
W3086-CAM	30"	86"	26 1/2"	34 1/4"	90 1/2"	34 1/2"	1500	1190	2690



Veteran Triune[®]

Burial Vault



U.S. Army
P521G



U.S. Air Force
P521H



U.S. Coast Guard
P521L



U.S. Marine Corps
P521J



U.S.
P5

FEATURES:

- High-strength concrete exterior
- Cover and base lined with stainless steel and high-impact plastic for excellent durability
- Brushed stainless steel carapace
- Memorialization Plus[®] capsule (brass)
- Includes branch-specific military emblems and customized U.S. flag nameplate
- 75-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
W3086-VT	30"	86"	26 1/2"	34 1/4"	90 1/2"	34 1/2"	1500	1190	2690



Venetian®


Burial Vault

FEATURES:

- High-strength concrete exterior
- Cover and base lined with high-impact plastic for excellent durability
- Rich look of polished marble
- 65-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
W3086-V (Standard)	30"	86"	26 1/2"	34 1/4"	90 1/2"	34 1/2"	1450	1050	2500
W3490-V (Oversize)	34"	90"	31"	38 3/4"	94 1/2"	38 3/4"	1730	1050	2780



Monticello[®]

Burial Vault

FEATURES:

- Concrete exterior
- Cover and base lined with protective plastic
- 50-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
W3086-M (Oversize)	34"	90"	31"	38 ³ / ₄ "	94 ¹ / ₂ "	38 ³ / ₄ "	1730	1050	2780
W3086-M (Standard)	30"	86"	26 ¹ / ₂ "	34 ¹ / ₄ "	90 ¹ / ₂ "	34 ¹ / ₂ "	1450	740	2190
W2056-M (Youth)	20"	56"	19"	24"	60 ¹ / ₂ "	26 ¹ / ₂ "	740	300	1040



Loved & Cherished®


Casket & Vault Combination

FEATURES:

- Available in 19", 24" or 31" sizes
- Preserve precious thoughts and memories with the same grace, protection, and tranquility as full-sized burial vaults
- The Loved and Cherished series of casket/vault combinations includes the 8" Loved and Cherished Bear

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights(LBS)
	Width	Length	Height	Width	Length	Height	Total
P200 (Baby 31")	10 ³ / ₈ "	31 ¹ / ₈ "	12 ¹ / ₄ "	15 ³ / ₈ "	36 ¹ / ₄ "	14"	23 ¹ / ₂
P100 (Infant 24")	9 ¹ / ₈ "	23 ¹ / ₃ "	10 ¹ / ₈ "	11 ⁴ / ₅ "	26"	12 ¹ / ₄ "	24
P50 (Newborn 19")	8"	18 ³ / ₈ "	7"	9 ³ / ₄ "	20"	8 ³ / ₄ "	9



Bronze Triune®


Urn Vault

FEATURES:

- High-strength concrete exterior
- Cover and base lined with bronze and high-impact plastic for excellent durability
- Bronze carapace
- 75-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
UV1212-CT	12 ¼"	12 ¼"	13 ¾"	14 ¼"	14 ¼"	17 ¾"	70	34	104



Copper Triune®


Urn Vault

FEATURES:

- High-strength concrete exterior
- Cover and base lined with copper and high-impact plastic for excellent durability
- Copper carapace
- 75-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
UV1212-CT	12 1/4"	12 1/4"	13 3/4"	14 1/4"	14 1/4"	17 5/8"	70	34	104



Stainless Steel Triune®

Urn Vault

FEATURES:

- High-strength concrete exterior
- Cover and base lined with bronze and high-impact plastic for excellent durability
- Stainless steel carapace
- 75-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
UV1212-SST	12 1/4"	12 1/4"	13 3/4"	14 1/4"	14 1/4"	17 5/8"	70	34	104



Cameo Rose®


Urn Vault

FEATURES:

- High-strength concrete exterior
- Cover and base lined with stainless steel and high-impact plastic for excellent durability
- Brushed stainless steel carapace
- 75-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
UV1212-CAM	12 1/4"	12 1/4"	13 3/4"	14 1/4"	14 1/4"	17 5/8"	70	34	104



Veteran Triune®

Urn Vault



U.S. Army
P521G



U.S. Air Force
P521H



U.S. Coast Guard
P521L



U.S. Marine Corps
P521J



U.S. Navy
P521K

FEATURES:

- High-strength concrete exterior
- Cover and base lined with bronze and high-impact plastic for excellent durability
- Brushed stainless steel carapace
- 75-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
UV1212-VT	12 1/4"	12 1/4"	13 3/4"	14 1/4"	14 1/4"	17 5/8"	70	34	104



Venetian[®]

Urn Vault

FEATURES:

- High-strength concrete exterior
- Cover and base lined with copper and high-impact plastic for excellent durability
- Copper carapace
- 75-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
UV1212-V	12 1/4"	12 1/4"	13 3/4"	14 1/4"	14 1/4"	17 5/8"	70	34	104



White Venetian®


Urn Vault

FEATURES:

- High-strength concrete exterior
- Cover and base lined with bronze and high-impact plastic for excellent durability
- Stainless steel carapace
- 75-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
UV1212-VWS	12 1/4"	12 1/4"	13 3/4"	14 1/4"	14 1/4"	17 3/8"	70	34	104



Monticello®

Urn Vault

FEATURES:

- Available in standard & short sizes
- Concrete exterior
- Cover and base lined with protective plastic
- 50-year warranty


SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
UV1212-M	12 ¼"	12 ¼"	13 ¾"	14 ¼"	14 ¼"	17 ¾"	62	25	87



Venetian®

Short Size Urn Vault



FEATURES:

- Short-size urn vault for interment above a burial vault (see illustration)
- High-strength concrete exterior
- Cover and base lined with high-impact plastic for excellent durability
- Rich look of polished marble
- 65-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
UV712-VS	12 1/4"	12 1/4"	7"	14 1/4"	14 1/4"	12 3/4"	42	34	76



White Venetian®

Short Size Urn Vault

FEATURES:

- Short-size urn vault for interment above a burial vault (see illustration)
- High-strength concrete exterior
- Cover and base lined with high-impact plastic for excellent durability
- Rich look of polished marble
- 65-year warranty


SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
UV712-VWS	12 1/4"	12 1/4"	7"	14 1/4"	14 1/4"	12 3/4"	42	34	76



Monticello®

Short Size Urn Vault




FEATURES:


- Available in standard & short sizes
- Concrete exterior
- Cover and base lined with protective plastic
- 50-year warranty

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Base	Cover	Total
UV712-MS	12 1/4"	12 1/4"	7"	14 1/4"	14 1/4"	12 3/4"	42	34	76



Ring Liners



Cover (2-3086G5)

Ring (3-3086L4)

- Bottomless concrete ring
- Flat cover
- 4 bricks for casket risers

SPECIFICATIONS:

Order #	Inner Dimensions			Outer Dimensions			Weights (LBS)		
	Width	Length	Height	Width	Length	Height	Ring	Cover	Total
L3086-4 (Standard)	30"	86"	26"	34"	90"	29"	600	575	1175
L2472-4	24"	72"	20"	28"	75"	22"	358	155	513
L2456-4	24"	56"	20"	28"	59"	22"	275	121	396
L1849-4	18"	49"	17"	22"	53"	19"	236	82	318
L1637-4	16"	37"	14"	19"	40"	16"	158	92	250
L1431-4	14"	31"	13"	18"	35"	16"	121	100	221
L1226-4	12"	26"	11"	16"	30"	13"	80	54	134



**Tulare Public Cemetery District
Audit Committee Meeting Minutes
March 21, 2022**



CALL TO ORDER:

The Tulare Public Cemetery Audit Committee meeting on March 21, 2022 was called to order at 1:06 P.M., at 900 E Kern Ave, Tulare, California by Committee Chair Steve Presant. Committee Members Linda Maloy and Xavier Avila were present. District Manager Clara Bernardo was in attendance.

RECOGNITION OF VISITORS: There were no visitors.

OPEN SESSION:

2.1 – Maloy moved to approve February 18, 2022 minutes. Vote (3-0)

2.2 - Avila moved to approve January 2022 financials. Vote (3-0).

2.3 – Item to review spending projections was tabled.


2.4 – Conference call with Ms. A Tolman of CalPERS regarding CalPERS medical plan availability in this region and cost. Committee decided not to pursue further due to CalPERS medical not having Dental and Eyeglass benefits.

2.5 – District Manager reported on a pre-need pre-payment option proposal.

ADJOURNMENT:

Committee Chair Presant adjourned the meeting at 3:02 P.M.

Respectfully Submitted,



Audit Committee Member

TULARE PUBLIC CEMETERY DISTRICT
900 EAST KERN AVENUETULARE, CALIFORNIA 93274**PHONE (559) 686-5544**

KERN AVENUE GRAVE MARKER RULES AND REGULATIONS

WHEN ORDERING A MEMORIAL MARKER FOR YOUR LOVED ONE'S GRAVE, PLEASE KEEP IN MIND THE RULES AND REGULATIONS IN EFFECT IN OUR CEMETERY.

NOTE: ONLY ONE MARKER PER GRAVE WILL BE ALLOWED (SEE NO.7 BELOW) AND MUST BE FOR THE INDIVIDUALS INTERRED IN THE GRAVE OR TO BE INTERRED IN THE GRAVE. ONLY THE OWNER OF THE BURIAL RIGHTS TO GRAVE HAS THE RIGHT TO ORDER GRAVE MARKER. WHEN ORDERING A GRAVE MARKER FROM A MONUMENT COMPANY, THE MONUMENT COMPANY MUST CALL AND CONFIRM ALL REQUIREMENTS. A MARKER MUST MEET CEMETERY REQUIREMENTS OF SIZE AND MATERIAL OR IT WILL NOT BE PLACED ON THE CEMETERY GROUNDS.

ALL MARKERS AND/OR HEADSTONES WILL BE SET BY BARNES MEMORIAL ONLY.

1. ONLY FLAT TYPE MARKERS WILL BE USED IN THE TULARE PUBLIC CEMETERY (EXCEPT SEE UPRIGHT MARKER SECTIONS NO. 8 BELOW).
2. ONLY GRANITE, MARBLE OR BRONZE MARKERS WILL BE ACCEPTED. ALL MARKERS MUST BE AT LEAST FIVE AND A HALF (5 ½) INCHES THICK. WE REQUIRE ALL MARKERS TO BE SET IN CONCRETE AROUND ALL FOUR (4) SIDES. THE CONCRETE BORDERS AID IN THE PREVENTION OF DAMAGE TO THE MARKERS BY MOWERS, EDGERS AND TRIMMERS.
3. ALL SETTING OF MARKERS WILL BE SET BY A COMPANY WITH APPROPRIATE BUSINESS AND CONTRACTORS LICENSES AND CORRECT LIABILITY INSURANCE LIMITS ON FILE WITH THE CEMETERY.
4. ONE (1) VASE REQUIRED PER MARKER. TWO (2) VASES PERMITTED FOR BABY AND SINGLE GRAVE MARKERS. FOUR (4) VASES PERMITTED FOR DOUBLE GRAVE MARKER 12" X 36", OR LARGER. VASES SHALL BE SPARTAN SERIES GRAY AAEON, OR EQUAL.
5. MARKER SIZE:
 - (A) SINGLE GRAVE MARKERS MAY BE: 12" X 24" OR 12" X 30"
 - (B) TWO (2) OR MORE GRAVE MARKERS MAY BE: 12" X 24", 12" X 30", 12" X 36", 12" X 48", 12" X 60" OR 12" X 72".
 - (C) BABY GRAVE MARKERS MUST BE: 8" X 16" **ONLY**.
6. ONE (1) OR TWO (2) 5" X 9" BRONZE PLAQUES FOR CREMATION BURIALS MAY BE ADDED TO THE CEMENT BORDER OF AN EXISTING MARKER.
7. UPRIGHT MARKERS PERMITTED ONLY IN: SECTIONS A, CENTRAL, CITY, EASTERN, INYO, ODDFELLOW, RESUB & SOUTHEAST – 1 **ONLY**.
 - (A) THE BASE SIZES SHALL BE THE SAME AS IN THE FLAT MARKER SECTIONS (SEE NO.5 ABOVE). A TOTAL HEIGHT OF 60" INCHES IS ALLOWED FOR THE UPRIGHT MARKERS. THIS INCLUDES THE BASE AND MARKER. BASE TO BE 6" MINIMUM HEIGHT. DIES OR UPRIGHTS TO BE A MINIMUM OF 6" IN THICKNESS.
8. REQUESTS FOR BENCHES MUST BE IN WRITING ADDRESSED TO THE BOARD OF TRUSTEES AND APPROVED BY THE TRUSTEES. BENCH PADS TO BE POURED BY CEMETERY EMPLOYEES.
9. **UPKEEP FOR GRAVE MARKERS IS THE RESPONSIBILITY OF THE PURCHASER.**
10. **THE MEMORIAL MARKERS, ALSO CALLED HEADSTONES OR GRAVE MARKERS, ARE THE PROPERTY OF THE PURCHASER. THE CEMETERY IS IN NO WAY RESPONSIBLE FOR THE HEADSTONE OR ANY DAMAGE TO THEM AFTER THEY ARE INSTALLED IN THE CEMETERY. REPAIRS DUE TO VANDALISM, WEATHER OR ROUTINE GROUND MAINTENANCE MUST BE DONE AT THE OWNER'S EXPENSE. THE CEMETERY SHALL MAKE REPAIRS IF THE DAMAGE IS DONE BY A CEMETERY EMPLOYEE.**

BOARD OF TRUSTEES
TULARE PUBLIC CEMETERY DISTRICT
ADOPTED MAY 8, 2002

(REV. 06/12/2002)
(REV. 06/13/2007)
(REV. 09/17/2008)
(REV. 12/10/2010)
(REV. 01/08/2014)

(REV. 10/08/2014)
(REV. 04/12/2017)
(REV. 05/16/2018)
(REV. 03/25/2021)

TULARE PUBLIC CEMETERY DISTRICT
900 EAST KERN AVENUETULARE, CALIFORNIA 93274**PHONE (559) 686-5544**

LOCATION: KERN - GRAVE MEMORIAL MARKER RULES & REGULATIONS

All markers are subject to approval by the District Manager who will follow the Tulare Public Cemetery Districts most current Rules and Regulation Policy set fourth by the Board of Trustees.

NO MEMORIAL MARKER SHALL BE INSTALLED ON GRAVE UNLESS PLOT HAS BEEN COMPLETELY PAID FOR.

Only the size and type of markers and monuments as set forth in these regulations will be allowed in the designated areas of the cemetery. The customer is responsible to order markers or monuments in the size and type as specified in these regulations. The Cemetery will not be held responsible and reserves the right to refuse installation of any markers or monuments that do not comply with these regulations.

Marker size and type allowed varies from cemetery location to cemetery location as well as specific areas within a cemetery. Please contact our main office at the address and phone number listed above for complete information regarding your specific plot location.

The Cemetery does not accept delivery of, nor set, any markers or monuments. This includes Veteran's markers or any other type markers or monuments ordered from out of the area or over the Internet. Customers **must** arrange in advance with the local monument company with the Tulare Public Cemetery District exclusive rights, to accept delivery and set the marker or monument. The Cemetery will not be held responsible for any marker or monument delivered to the Cemetery. (Note: Do not ship any marker or monument to a monument company without making arrangements with them in advance.)

Markers and monuments are the property of the internment rights owner to the plot. The Tulare Public Cemetery District is in no way responsible for the monuments and markers after they are installed. Repairs for Damage due to vandalism, weather, concrete degradation, spalling concrete or routine ground maintenance must be done at the owners' expense. If there is damage that has been caused by carelessness of the cemetery staff and is investigated by District Manager and proved to be fault by cemetery staff, we will make every effort to correct the damage. (Endowment care does not include cleaning, maintenance, repair or replacement of monuments, markers and/or vases installed in monuments or markers.)

THE CARE AND UPKEEP OF MEMORIAL MARKERS AND THE VASES IS THE OWNERS' RESPONSIBILITY.

Notwithstanding the foregoing, the Tulare Public Cemetery District reserves the right to repair or remove any marker the District deems to be in an unsafe condition and which might pose a threat to the safety of the public or employees of the District.

If a damaged marker has been in place in the Cemetery District for 25 years, and/or if the District is unable to locate a family member responsible for the care and upkeep of the marker, the District may, at its sole discretion, elect to either repair, remove or replace a damaged marker.

Temporary markers (issued only by the Tulare Public Cemetery District office) can be used until concrete base has been set by the monument company. These temporary markers are loaned to the person who holds the internment rights to the plot that the marker is requested for. But, it must be returned as soon as concrete base has been placed on plot. The Cemetery is not responsible for damaged or missing temporary markers.

All temporary markers will be removed from the interment site after 12 months from date of burial.

All memorial markers hereafter shall be set by District personnel or local monument company that Tulare Public Cemetery District has given exclusive rights to. Liability and Workers Compensation insurance policy are required from all monument companies working on Tulare Public Cemetery District property and must name Tulare Public Cemetery District as an additional insured before any work can be done. General liability coverage of \$1,000,000 and Workers Compensation coverage of \$1,000,000 required for contractors who have employees. They must also keep updated business license along with insurance certificates on file in Tulare Public Cemetery District office. Local marker companies are familiar with Cemetery District Regulations regarding markers and monuments. All work to be done Monday – Friday between hours of 8am – 3pm and no work to be done on Holidays that the Tulare Public Cemetery District has scheduled as Closed unless approval has been given by District Manager.

Any

and ALL MEMORIAL MARKERS THAT HAVE BEEN SET ON TULARE PUBLIC CEMETERY DISTRICT GROUNDS WITHOUT DISTRICT MANAGER APPROVAL WILL BE REMOVED AT OWNERS EXPENSE AND WE WILL NOT BE HELD LIABLE FOR ANY DAMAGE AS A RESULT OF REMOVAL.

1. Memorial markers must be made of solid industry standard granite, marble or U.S. standard bronze.
2. All memorial markers must be set in (for flat) or on (for tall) a concrete foundation with minimum of 6 inches thick.
3. A maximum of two flower vases set in the concrete foundation for single plot and 4 for side by side plot. Only flush with the ground vases are allowed in the foundation. Vases shall be spartan 2 series grey.
4. FLAT MARKER SIZE:
 - a. SINGLE GRAVE FLAT MARKERS MAY BE: 12" X 24" OR 12" X 30"
 - b. TWO (2) OR MORE FLAT GRAVE MARKERS MAY BE: 12" X 24", 12" X 30", 12" X 36", 12" X 48", 12" X 60" OR 12" X 72".
 - c. BABY FLAT GRAVE MARKERS MUST BE: 8" X 16" OR 12" X 24"
5. UP TO FOUR (4) ADDITIONAL 5" X 9" BRONZE PLAQUES FOR CREMATION BURIALS MAY BE ADDED TO THE CEMENT BORDER OF AN EXISTING MARKER. UP TO SIX (6) MAYBE ADDED TO CONCRETE PAD WITH NO MARKER.
6. UPRIGHT MARKER SIZE: PERMITTED ONLY IN: SECTIONS A, CENTRAL, CITY, EASTERN, INYO, ODDFELLOW, RESUB, SOUTHEAST AND OLEANDER LANE – 1 **ONLY**.
 - a. SINGLE GRAVE TALL MARKER BASE MAY BE: 12" X 24" OR 12" X 30"
 - b. TWO (2) OR MORE TALL GRAVE MARKER BASE MAY BE: 12" X 24", 12" X 30", 12" X 36", 12" X 48", 12" X 60" OR 12" X 72".

A TOTAL HEIGHT OF 38" INCHES IS ALLOWED FOR THE UPRIGHT MARKERS. THIS INCLUDES THE BASE AND MARKER. BASE TO BE 6" MINIMUM HEIGHT. DIES OR UPRIGHTS TO BE A MINIMUM OF 6" IN THINCKNESS.

EXCEPTION – OLEANDER LANE - A TOTAL HEIGHT OF 60" IS ALLOWED FOR THE UPRIGHT MARKERS THIS INCLUDES THE BASE AND MARKER. BASE TO BE 6" MINIMUM HEIGHT. DIES OR UPRIGHTS TO BE A MINIMUM OF 6" IN THINCKNESS.
 - c. ALL MONUMENTS WITH BASES MUST BE DRILLED AND PINNED. (see #8 below -Setting Notes for markers and monuments)
 - d. NO BENCH MAY BE INSTALLED AS (INSTEAD OF) AN UPRIGHT MONUMENT
7. **SETTING NOTES FOR MARKERS AND MONUMENTS:**
 - a. All two or more-piece monuments must be doweled to base with two or more stainless steel anchoring pins in each piece not less than 3" deep into each piece.
 - b. All monument bases, one-piece monuments must doweled with at least two (2) pins to concrete pad.
 - c. All pins to be 3/8" diameter or larger. Pins to be made permanent with cement or epoxy.
 - d. All granite or marble vases and statuary will be anchored with appropriate size pin for size of vase.
8. Once Markers have been approved and installed no additional alterations of any kind can be made unless approved by District Manager. A letter, a design and expatiation must be submitted to office for request of alteration.
9. **Oversize monuments and markers-** Any oversize monument or marker set on a grave or graves may require temporary removal in order to prepare the grave for an interment (dig the grave). In order to ensure that these monuments or markers are not damaged, the family or its legal representative is responsible for making arrangements for the removal and re-setting of the monument or marker with a local monument company. This is done at the families' expense. No interment date and time can be confirmed until the arrangements for the removal of the monument or marker has been made.
10. REQUESTS FOR BENCHES MUST BE IN WRITING AND INCLUDE PICTURES OF THE LOCATION REQUESTING TO ADD THE BENCH. This can be hand delivered to Tulare Public Cemetery District office or mailed to address listed above with attention to District Manager. District Manager will then review along with Grounds Supervisor to check if

a bench can be placed at desired location. Once both the District Manager and Ground Supervisor approves location it will then be placed as an agenda item at the next scheduled board meeting for final approval from the Tulare Public Cemetery District Board of Trustees. Once approved fees must be paid in full to issue rights to that location for the bench. TO THE BOARD OF TRUSTEES AND APPROVED BY THE TRUSTEES. BENCH PADS TO BE POURED BY CEMETERY EMPLOYEES. All benches and bench pad shall be set by District personnel or local monument company that Tulare Public Cemetery District has given exclusive rights to.

TULARE PUBLIC CEMETERY DISTRICT - BOARD OF TRUSTEES
ADOPTED MAY 8, 2002

(REV. 06/12/2002) (REV. 06/13/2007) (REV. 09/17/2008) (REV. 12/10/2010) (REV. 01/08/2014)
(REV. 10/08/2014) (REV. 04/12/2017) (REV. 05/16/2018) (REV. 03/25/2021) (REV. 04/28/2022)

TULARE PUBLIC CEMETERY DISTRICT
900 EAST KERN AVENUETULARE, CALIFORNIA 93274**PHONE (559) 686-5544**

NORTH GRAVE MARKER RULES AND REGULATIONS

WHEN ORDERING A MEMORIAL MARKER FOR YOUR LOVED ONE'S GRAVE, PLEASE KEEP IN MIND THE RULES AND REGULATIONS IN EFFECT IN OUR CEMETERY.

NOTE: ONLY ONE MARKER PER GRAVE WILL BE ALLOWED (SEE NO.7 BELOW) AND MUST BE FOR THE INDIVIDUALS INTERRED IN THE GRAVE OR TO BE INTERRED IN THE GRAVE. ONLY THE OWNER OF THE BURIAL RIGHTS TO GRAVE HAS THE RIGHT TO ORDER GRAVE MARKER. WHEN ORDERING A GRAVE MARKER FROM A MONUMENT COMPANY, THE MONUMENT COMPANY MUST CALL AND CONFIRM ALL REQUIREMENTS. A MARKER MUST MEET CEMETERY REQUIREMENTS OF SIZE AND MATERIAL OR IT WILL NOT BE PLACED ON THE CEMETERY GROUNDS.

ALL MARKERS AND/OR HEADSTONES WILL BE SET BY BARNES MEMORIAL ONLY.

1. ONLY FLAT TYPE MARKERS WILL BE USED IN THE TULARE PUBLIC CEMETERY (EXCEPT SEE UPRIGHT MARKER SECTIONS NO. 7 BELOW).
2. ONLY GRANITE, MARBLE OR BRONZE MARKERS WILL BE ACCEPTED. ALL MARKERS MUST BE AT LEAST FIVE AND A HALF (5 ½) INCHES THICK. WE REQUIRE ALL MARKERS TO BE SET IN CONCRETE AROUND ALL FOUR (4) SIDES. THE CONCRETE BORDERS AID IN THE PREVENTION OF DAMAGE TO THE MARKERS BY MOWERS, EDGERS AND TRIMMERS.
3. ALL SETTING OF MARKERS WILL BE SET BY A COMPANY WITH APPROPRIATE BUSINESS AND CONTRACTORS LICENSES AND CORRECT LIABILITY INSURANCE LIMITS ON FILE WITH THE CEMETERY.
4. TWO (2) VASES REQUIRED PER MARKER. VASES SHALL BE SPARTAN SERIES GRAY AAEON, OR EQUAL.
5. MARKER SIZE:
 - (A) SINGLE GRAVE MARKERS MAY BE: 12" X 24" OR 12" X 30"
 - (B) TWO (2) OR MORE GRAVE MARKERS MAY BE: 12" X 24", 12" X 30", 12" X 36", 12" X 48", 12" X 60" OR 12" X 72".
 - (C) BABY GRAVE MARKERS MUST BE: 8" X 16" OR 12" X 24"
6. ONE (1) OR TWO (2) 5" X 9" BRONZE PLAQUES FOR CREMATION BURIALS MAY BE ADDED TO THE CEMENT BORDER OF AN EXISTING MARKER.
7. UPRIGHT MARKERS PERMITTED ONLY IN: BLOCK "B" (ROWS B, E, H, K, N, Q, T, & W); BLOCK "D" (ROWS Q, T, W, Z, CC, FF, & II) AND BLOCK "C" (ROWS S, W, AND AA) **ONLY**. A TOTAL HEIGHT OF 38" IS ALLOWED FOR THE UPRIGHT MARKERS. THIS INCLUDES THE BASE AND MARKER.
 - (A) THE BASE SIZES SHALL BE THE SAME AS IN THE FLAT MARKER SECTIONS (SEE NO.5 ABOVE). A TOTAL HEIGHT OF 38" INCHES IS ALLOWED FOR THE UPRIGHT MARKERS. THIS INCLUDES THE BASE AND MARKER. BASE TO BE 6" MINIMUM HEIGHT. DIES OR UPRIGHTS TO BE A MINIMUM OF 6" IN THICKNESS.
8. REQUESTS FOR BENCHES MUST BE IN WRITING ADDRESSED TO THE BOARD OF TRUSTEES AND APPROVED BY THE TRUSTEES. BENCH PADS TO BE POURED BY CEMETERY EMPLOYEES.
9. **UPKEEP FOR GRAVE MARKERS IS THE RESPONSIBILITY OF THE PURCHASER.**
10. **THE MEMORIAL MARKERS, ALSO CALLED HEADSTONES OR GRAVE MARKERS, ARE THE PROPERTY OF THE PURCHASER. THE CEMETERY IS IN NO WAY RESPONSIBLE FOR THE HEADSTONE OR ANY DAMAGE TO THEM AFTER THEY ARE INSTALLED IN THE CEMETERY. REPAIRS DUE TO VANDALISM, WEATHER OR ROUTINE GROUND MAINTENANCE MUST BE DONE AT THE OWNER'S EXPENSE. THE CEMETERY SHALL MAKE REPAIRS IF THE DAMAGE IS DONE BY A CEMETERY EMPLOYEE.**

BOARD OF TRUSTEES
TULARE PUBLIC CEMETERY DISTRICT
ADOPTED MAY 8, 2002

(REV. 06/12/2002)
(REV. 09/17/2008)
(REV. 01/08/2014)
(REV. 04/12/2017)
(REV. 03/25/2021)

(REV. 06/13/2007)
(REV. 12/10/2010)
(REV. 10/08/2014)
(REV. 05/16/2018)

TULARE PUBLIC CEMETERY DISTRICT
900 EAST KERN AVENUETULARE, CALIFORNIA 93274**PHONE (559) 686-5544**

LOCATION: NORTH - GRAVE MEMORIAL MARKER RULES & REGULATIONS

All markers are subject to approval by the District Manager who will follow the Tulare Public Cemetery Districts most current Rules and Regulation Policy set fourth by the Board of Trustees.

NO MEMORIAL MARKER SHALL BE INSTALLED ON GRAVE UNLESS PLOT HAS BEEN COMPLETELY PAID FOR.

Only the size and type of markers and monuments as set forth in these regulations will be allowed in the designated areas of the cemetery. The customer is responsible to order markers or monuments in the size and type as specified in these regulations. The Cemetery will not be held responsible and reserves the right to refuse installation of any markers or monuments that do not comply with these regulations.

Marker size and type allowed varies from cemetery location to cemetery location as well as specific areas within a cemetery. Please contact our main office at the address and phone number listed above for complete information regarding your specific plot location.

The Cemetery does not accept delivery of, nor set, any markers or monuments. This includes Veteran's markers or any other type markers or monuments ordered from out of the area or over the Internet. Customers **must** arrange in advance with the local monument company with the Tulare Public Cemetery District exclusive rights, to accept delivery and set the marker or monument. The Cemetery will not be held responsible for any marker or monument delivered to the Cemetery. (Note: Do not ship any marker or monument to a monument company without making arrangements with them in advance.)

Markers and monuments are the property of the internment rights owner to the plot. The Tulare Public Cemetery District is in no way responsible for the monuments and markers after they are installed. Repairs for Damage due to vandalism, weather, concrete degradation, spalling concrete or routine ground maintenance must be done at the owners' expense. If there is damage that has been caused by carelessness of the cemetery staff and is investigated by District Manager and proved to be fault by cemetery staff, we will make every effort to correct the damage. (Endowment care does not include cleaning, maintenance, repair or replacement of monuments, markers and/or vases installed in monuments or markers.)

THE CARE AND UPKEEP OF MEMORIAL MARKERS AND THE VASES IS THE OWNERS' RESPONSIBILITY.

Notwithstanding the foregoing, the Tulare Public Cemetery District reserves the right to repair or remove any marker the District deems to be in an unsafe condition and which might pose a threat to the safety of the public or employees of the District.

If a damaged marker has been in place in the Cemetery District for 25 years, and/or if the District is unable to locate a family member responsible for the care and upkeep of the marker, the District may, at its sole discretion, elect to either repair, remove or replace a damaged marker.

Temporary markers (issued only by the Tulare Public Cemetery District office) can be used until concrete base has been set by the monument company. These temporary markers are loaned to the person who holds the internment rights to the plot that the marker is requested for. But, it must be returned as soon as concrete base has been placed on plot. The Cemetery is not responsible for damaged or missing temporary markers.

All temporary markers will be removed from the interment site after 12 months from date of burial.

All memorial markers hereafter shall be set by District personnel or local monument company that Tulare Public Cemetery District has given exclusive rights to. Liability and Workers Compensation insurance policy are required from all monument companies working on Tulare Public Cemetery District property and must name Tulare Public Cemetery District as an additional insured before any work can be done. General liability coverage of \$1,000,000 and Workers Compensation coverage of \$1,000,000 required for contractors who have employees. They must also keep updated business license along with insurance certificates on file in Tulare Public Cemetery District office. Local marker companies are familiar with Cemetery District Regulations regarding markers and monuments. All work to be done Monday – Friday between hours of 8am – 3pm and no work to be done on Holidays that the Tulare Public Cemetery District has scheduled as Closed unless approval has been given by District Manager.

Any and ALL MEMORIAL MARKERS THAT HAVE BEEN SET ON TULARE PUBLIC CEMETERY DISTRICT GROUNDS WITHOUT DISTRICT MANAGER APPROVAL WILL BE REMOVED AT OWNERS EXPENSE AND WE WILL NOT BE HELD LIABLE FOR ANY DAMAGE AS A RESULT OF REMOVAL.

1. Memorial markers must be made of solid industry standard granite, marble or U.S. standard bronze.
2. All memorial markers must be set in (for flat) or on (for tall) a concrete foundation with minimum of 6 inches thick.
3. A maximum of two flower vases set in the concrete foundation for single plot and 4 for side by side plot. Only flush with the ground vases are allowed in the foundation. Vases shall be spartan 2 series grey.
4. FLAT MARKER SIZE:
 - a. SINGLE GRAVE FLAT MARKERS MAY BE: 12" X 24" OR 12" X 30"
 - b. TWO (2) OR MORE FLAT GRAVE MARKERS MAY BE: 12" X 24", 12" X 30", 12" X 36", 12" X 48", 12" X 60" OR 12" X 72".
 - c. BABY FLAT GRAVE MARKERS MUST BE: 8" X 16" or 12" x 24"
5. UP TO FOUR (4) ADDITIONAL 5" X 9" BRONZE PLAQUES FOR CREMATION BURIALS MAY BE ADDED TO THE CEMENT BORDER OF AN EXISTING MARKER. UP TO SIX (6) MAYBE ADDED TO CONCRETE PAD WITH NO MARKER.
6. UPRIGHT MARKER SIZE: UPRIGHT MARKERS PERMITTED ONLY IN: BLOCK "B" (ROWS B, E, H, K, N, Q, T, & W); BLOCK "D" (ROWS N, Q, T, W, Z, CC, FF, & II) AND BLOCK "C" (ROWS S, U, W, Y, AA AND CC) **ONLY**.
 - a. SINGLE GRAVE TALL MARKER BASE MAY BE: 12" X 24" OR 12" X 30"
 - b. TWO (2) OR MORE TALL GRAVE MARKER BASE MAY BE: 12" X 24", 12" X 30", 12" X 36", 12" X 48", 12" X 60" OR 12" X 72".

A TOTAL HEIGHT OF 38" INCHES IS ALLOWED FOR THE UPRIGHT MARKERS. THIS INCLUDES THE BASE AND MARKER. BASE TO BE 6" MINIMUM HEIGHT. DIES OR UPRIGHTS TO BE A MINIMUM OF 6" IN THINCKNESS.
 - c. ALL MONUMENTS WITH BASES MUST BE DRILLED AND PINNED. (see #8 below -Setting Notes for markers and monuments)
 - d. NO BENCH MAY BE INSTALLED AS (INSTEAD OF) AN UPRIGHT MONUMENT

7. SETTING NOTES FOR MARKERS AND MONUMENTS:

- a. All two or more-piece monuments must be doweled to base with two or more stainless steel anchoring pins in each piece not less than 3" deep into each piece.
 - b. All monument bases, one-piece monuments must doweled with at least two (2) pins to concrete pad.
 - c. All pins to be 3/8" diameter or larger. Pins to be made permanent with cement or epoxy.
 - d. All granite or marble vases and statuary will be anchored with appropriate size pin for size of vase.
8. Once Markers have been approved and installed no additional alterations of any kind can be made unless approved by District Manager. A letter, a design and expatiation must be submitted to office for request of alteration.
 9. **Oversize monuments and markers-** Any oversize monument or marker set on a grave or graves may require temporary removal in order to prepare the grave for an interment (dig the grave). In order to ensure that these monuments or markers are not damaged, the family or its legal representative is responsible for making arrangements for the removal and re-setting of the monument or marker with a local monument company. This is done at the families' expense. No interment date and time can be confirmed until the arrangements for the removal of the monument or marker has been made.
 10. REQUESTS FOR BENCHES MUST BE IN WRITING AND INCLUDE PICTURES OF THE LOCATION REQUESTING TO ADD THE BENCH. This can be hand delivered to Tulare Public Cemetery District office or mailed to address listed above with attention to District Manager. District Manager will then review along with Grounds Supervisor to check if a bench can be placed at desired location. Once both the District Manager and Ground Supervisor approves location it will then be placed as an agenda item at the next scheduled board meeting for final approval from the Tulare Public Cemetery District Board of Trustees. Once approved fees must be paid in full to issue rights to that location for the bench. TO THE BOARD OF TRUSTEES AND APPROVED BY THE TRUSTEES. BENCH PADS TO BE POURED

BY CEMETERY EMPLOYEES. All benches and bench pad shall be set by District personnel or local monument company that Tulare Public Cemetery District has given exclusive rights to.

**TULARE PUBLIC CEMETERY DISTRICT - BOARD OF TRUSTEES
ADOPTED MAY 8, 2002**

(REV. 06/12/2002) (REV. 06/13/2007) (REV. 09/17/2008) (REV. 12/10/2010) (REV. 01/08/2014)
(REV. 10/08/2014) (REV. 04/12/2017) (REV. 05/16/2018) (REV. 03/25/2021) (REV. 04/28/2022)



Contribution Indication

Policy Period: 2022-23
Coverage Dates: 7/1/2022 - 7/1/2023
Account No: TULACEM

Customer Service
For Information on Your Account Visit:
www.mygsrma.org
GSRMA PO Box 706 Willows, CA 95988
Phone: 530-934-5633 Fax: 530-934-8133

Tulare Cemetery District

2022-23 COVERAGE	CONTRIBUTION
Workers' Compensation <i>Estimated Payroll</i> \$528,333	\$32,892
General Liability <i>Estimated Payroll</i> \$528,333	\$36,158
Property <i>Total Insured Value</i> \$1,462,115	\$3,357
HV Property <i>Total Insured Value</i> \$0	\$0
Auto <i>Total Insured Value</i> \$1,000	\$5
Watercraft <i>Total Insured Value</i> \$0	\$0
Mobile Equipment <i>Total Insured Value</i> \$389,984	\$1,446
Crime Bond <i>Exposure</i> 12	\$195
Pollution <i>Estimated Payroll</i> \$528,333	\$0
TOTAL ESTIMATED ANNUAL CONTRIBUTION*	\$74,053
TOTAL ESTIMATED PAYMENT	\$74,053

*Total Contribution is an ESTIMATE ONLY and may not be equal to the final Contribution amount when coverage is bound.
 Finance charges apply when paying in installments.

NOT AN INVOICE. INDICATION DATED 4/1/2022 DOES NOT BIND COVERAGE.



Contribution Comparison

Policy Period: 2022-23
Coverage Dates: 7/1/2022 - 7/1/2023
Account No: TULACEM

Customer Service
For Information on Your Account Visit:
www.mygsrma.org
GSRMA PO Box 706 Willows, CA 95988
Phone: 530-934-5633 Fax: 530-934-8133

Tulare Cemetery District

COVERAGE	2022-23	2021-22	DIFFERENCE	% CHANGE
Workers' Compensation	\$32,892	\$0	\$32,892	0.0%
<i>Estimated Payroll</i>	\$528,333	\$0	\$528,333	0.0%
<i>Effective Rate¹</i>	\$6.23	\$0.00	\$6.23	0.0%
<i>Experience Ratio</i>				
General Liability	\$36,158	\$33,397	\$2,761	8.3%
<i>Estimated Payroll</i>	\$528,333	\$528,333	\$0	0.0%
<i>Effective Rate¹</i>	\$6.84	\$6.32	\$0.52	8.2%
<i>Experience Ratio</i>				
Property	\$3,357	\$1,274	\$2,083	163.5%
<i>Total Insured Value</i>	\$1,462,115	\$575,139	\$886,976	154.2%
HV Property	\$0	\$0	\$0	0.0%
<i>Total Insured Value</i>	\$0	\$0	\$0	0.0%
Auto	\$5	\$6	\$(1)	(16.7)%
<i>Total Insured Value</i>	\$1,000	\$1,000	\$0	0.0%
Watercraft	\$0	\$0	\$0	0.0%
<i>Total Insured Value</i>	\$0	\$0	\$0	0.0%
Mobile Equipment	\$1,446	\$1,361	\$85	6.2%
<i>Total Insured Value</i>	\$389,984	\$340,827	\$49,157	14.4%
Crime Bond	\$195	\$193	\$2	1.0%
<i># of Employees</i>	12	12	0	0.0%
Pollution³	\$0	\$0	\$0	0.0%
<i>Estimated Payroll</i>	\$528,333	\$528,333	\$0	0.0%
TOTAL ESTIMATED CONTRIBUTION²	\$74,053	\$36,231	\$37,822	104.4%

¹ Amounts are shown rounded to the nearest cents. Actual Effective Rate = Contribution / Payroll * 100

² Total Contribution is an ESTIMATE ONLY and may not be equal to the final Contribution amount when coverage is bound.

³ Pollution coverage included in Property beginning with 2021-22 policy year.

Indication dated 4/1/2022



Estimated Payroll

Policy Period: 2022-23
Coverage Dates: 7/1/2022 - 7/1/2023
Account No: TULACEM

Customer Service

For Information on Your Account Visit:

www.mygsrma.org

GSRMA
 PO Box 706
 Willows, CA 95988

Phone: 530-934-5633
 Fax: 530-934-8133

Tulare Cemetery District

Estimated Payroll for 2022-23

CLASS CODE	DESCRIPTION	# FULL TIME EMPLOYEES	# PART TIME EMPLOYEES	ANNUAL REGULAR PAYROLL	ANNUAL OVERTIME PAYROLL
9220-1	Cemetery Operations	12	0	\$525,000	\$5,000
TOTAL		12	0	\$525,000	\$5,000
Total Regular and Overtime Payroll (OT included at 2/3)					\$528,333
TOTAL ESTIMATED PAYROLL					\$528,333



Final Contribution True-up

Policy Period: 2020-21
Coverage Dates: 7/1/2020 - 7/1/2021
Account No: TULACEM

Customer Service

For Information on Your Account Visit:

www.mygsrma.org

GSRMA
PO Box 706
Willows, CA 95988

Phone: 530-934-5633
Fax: 530-934-8133

Tulare Cemetery District

No True-up applicable for the 2020-21 Policy Period.



Disclosures/Disclaimers

Policy Period: 2022-23

Account No: TULACEM

Customer Service

For Information on Your Account Visit:

www.mygsrma.org

GSRMA
PO Box 706
Willows, CA 95988

Phone: 530-934-5633
Fax: 530-934-8133

This proposal for coverage is provided as a matter of convenience and information only. All information included in this proposal, including but not limited to personal and real property values, locations, operations, products, data, vehicle schedules, financial data and loss experience, is based on facts and representations supplied to Golden State Risk Management Authority by your agency. This proposal does not reflect any independent study or investigation by Golden State Risk Management Authority or its agents and employees.

Please be advised that this proposal is also expressly conditioned on there being no material change in the risk between the date of this proposal and the inception date of the proposed coverage (including the occurrence of any claim or notice of circumstances that may give rise to a claim under any policy which the policy being proposed is a renewal or replacement). In the event of such change of risk, GSRMA may, at its sole discretion, modify, or withdraw this proposal, whether or not this offer has already been accepted.

This proposal is not confirmation of coverage and does not add to, extend, amend, change, or alter any coverage in any actual policy of insurance your agency may have. All existing policy terms, conditions, exclusions, and limitations apply. For specific information regarding your coverage, please refer to the policy itself. Golden State Risk Management Authority will not be liable for any claims arising from or related to information included in or omitted from this proposal for coverage.